Activate Client customization page from Site/preferences



Display customization page



Search « Contexts » action, select it and copy it



rator										
n T	ools									
Acti	on Report	6								
Searc	h By:	0.000						-		
		Label:	Contexts					Exc "Search"		
		Object Type:					-	Ex remove Ex "object"		
		Tool Tip:						Ex: "Update"		
		Hot Key:						Ex: "m"		
		Action Model Name:					Exc	"tabular input toolbar"		
		Action Model File:					E	: "actionmodels.xml" Fr: "actions xml"		
		Action Definition File:						Ex: "actions.xml"	ctions.xml"	
Icon Path:				Ex: "netmarkets/images/					qif"	
				Search Clear						
Returi	ns all actions r	natching the above se	earch criteria.							
Suppo	orts:									
* Reg	tiple search pa ular expression	rameters								
* Case	e-insensitive n	natching								
Exam	ples: v.* ==> Match	es: "remove" "remov	e deliverable	". "remove	Uses", etc.					
r[a-z]	* ==> Matche	s: "reply", "REVISEITEN	/IS", "reassig	nLC", etc.						
."mov	ve ==> Match Matches: ev	es: "remove", "COND ervthing	AINERMOVE	, "WFMOV	E", etc.					
Need	To Find An A	tion Model?								
See th	e Action Mod	el Report								
on	Report									
h By:	:									
		Label:	Contexts					Ex: "Sea	irch"	
		Action Name:						Ex: "rem	ove"	
		Object Type:						Ex: "obj	ect"	
		Tool Tip:						Ex: "Upo	iate"	
		Hot Key:						Exc "r	n"	
	Ac	tion Model Name:						Ex: "tabular inj	out to	olbar"
	A	ction Model File:						Ex: "actionm	odels.	anl"
	Act	ion Definition File:						Ex: "action	ns.xml	
		Dev Owner:]		
		Icon Path:						Ex: "netmarkets/im	ages/o	details.gif"
					S	earch	Clear			
Actic	ane:				2		22			
-cere	2113.									
	-									
ons .	Label	Name		Туре	Icon Path	Sele	ct Requi	red Dev Own	ner	actionDetails
ons • on	Contexts	relatedContexts		object		No				<u>(</u>)
ons • on		dataopsCriteriaIr	nfoContext	dataops		No				(i)
ons • on	Contexts									
on iects	Contexts									
ons • on jects	Contexts									
ons von	Contexts selected)									
ons on jects Ac	Contexts selected)									
on on jects Ac	Contexts selected) tions:									
on on jects Ac	Contexts selected) tions:	n Name			Turne	Ican R	ath	Salact Baquira	4	Day Ow
on on jects Ac C	Contexts selected) tions: s • reate Actio	n Name			Туре	Icon Pa	ath	Select Require	d	Dev Ow
ons vijects Ac Cition	Contexts selected) tions: s • reate Actio opy	n Name relatedCo	intexts		Type	Icon Pi	ath	Select Require	d	Dev Ow
ons • on jects Ac tion C	Contexts selected) tions: S > reate Actio opy Con	n Name relatedCo	intexts	Contex	Type object dataops	Icon Pi	ath	Select Require No No	d	Dev Ow
ons v on jects Ac tion C	Contexts selected) tions: s • reate Actio opy Con	n Name relatedCc texts dataopsC	ontexts	oContex	Type object dataops	Icon Pi	ath	Select Require No No	d	Dev Ow
ons viects Ac tion C) C	Contexts selected) tions: veate Actio opy Contexts selected	n Name relatedCc texts dataopsC d)	ntexts	oContex	Type object t dataops	Icon Pi	ath	Select Require No No	d	Dev Ow

Identify and update "Related Objects" tab for documents

Add &jcaDebug=1 at the end of document information page URL

-	← (a) R%3Awt.doc.WTDocument%3A50427.8u8=1.8uicaDebug=1. Q → → X (b) Actions In Model: (c) Actions	Acti
Fi	Fichier Edition Affichage Favoris Outils ?	
V		
Adm	Vingchil	
Þ	roducts > TRANING > Folders	
Navigator	Context Object: VRivid doc:WTDocument:548/2 Navigato: Dieget: comp.tco::component:Jaine92eg.IntelPageINavigato:Delegate Component: Component: Component:Jaine92eg.IntelPageINavigato:Delegate Component: Component: Component:Delaulitaci Component:Delaulitaci Camponent:Delaulitaci : Component:Delaulitaci Component:Delaulitaci Delaulitaci : Component: Component:Delaulitaci Component:Delaulitaci Component:Delaulitaci Delaulitaci : Component: Component:Delaulitaci Component:Delaul	
	Where Used References Documents Referenced By Documents Parts	
	Where Used References Documents Referenced By Documents Parts Where Used Stats Image: State	e Enabled b
	Where Used References Documents Referenced By Documents Parts Where Used () Latest Image: Statest in the state in the statest	e Enabled b
	Where Used [References Documents] Referenced By Documents Parts Where Used () latest Image: Statest () Image: Statest () <tr< td=""><td>e Enabled b</td></tr<>	e Enabled b
	Where Used @ Latest Where Used @ Latest Image: Complex Core ulvalidation Default/UComponent/Validator	e Enabled

Select "docInfoPageTabSet..." tab

ext Object: gator Deleg ponent Id: ponentCor	VR:wt.doc jate: com.p infoPage nfigBuilder aBuilder co	.WTDocument:50427 stc.core.components.inf : com.ptc.windchill.ente	oPage.InfoPageNavigatorDele rprise.doc.mvc.builders.infoPi aents DefaultIcaComponentD	egate ages.Doci	umentManageme	ntinfoB	luilder		
Action:	s • 🖹 (🛡 Document 🖉 -	0000000021, qqqqqq	q, 1.1	• • •	۲	۲	٢	
Details S	itructure	Content Related O	bjects Changes History	Trace	ability Relation	anship E	xplorer		'docInfoPageTabSet' Action Model Report
Action Mod	el Details								
Overridden	By:								
Definition F Menu For: Action	ile: ns In Mod	/config/actions/Docur	nentManagement-actionmoc	lelsxml					
Definition F Menu For: C Action Actions •	ile: ns In Moo	/config/actions/Docur del:	nentManagement-actionmoc	lelsaml					
Definition F Menu For: Content Actions * Order	ile: ns In Moo	/config/actions/Docur del: Label	nentManagement-actionmoc	Type	View Info				
Definition F Menu For: Calculations * Conter 1	ile: Is In Moo	/config/actions/Docur del: Label Details	nentManagement-actionmoc Name docinfoDefaultDetails	Type	View Info				
Definition F Menu For: Calcelone * Corder 1 2	Icon	/config/actions/Docur del: Labet Details Structure	Name dodnfoDefaultDetails docStructureGWT	Type docsb	View Info D				
Definition F Menu For: Actions * Order 1 2 3	Icon	/config/actions/Docur del: Label Details Structure Content	Name docfrioDefaultDetails docStructureGWT docContentInfoDetails	Type docsb	View Info (1) (1)				
Definition F Menu For: Actions * Order 1 2 3 4	Icon	/config/actions/Docur del: Label Details Structure Content Related Objects	Name docdrioDefaultDetails docStructureGWT docContentInfoDetails docRelatedObjectsInfo	Type docsb	View Info () () () ()				
Definition F Menu For: Calcebox Actions * Order 1 2 3 4 5 5	ile: 15 In Moo	/config/actions/Docur del: Label Details Structure Content Related Objects Changes	Name docintoDefaultDefails docKetxedObjeckinfo changesTab	Type docsb	View Info (1) (1) (1) (1) (1) (1) (1) (1)				
Definition F Menu For: Actions ~ Order 1 2 3 4 5 6	ile: In Moo	/config/actions/Docur del: Label Details Structure Content Related Objects Changes History	Hame doctridoPravilloetails docStructureGWT docContentInfoDetails docRetatedObjectsinfo changesTab	Type docsb	View Info (1) (1) (1) (1) (1) (1) (1) (1)				
Definition F Menu For: Actions * Order 1 2 3 4 5 6 7	ile: ns In Moo	/config/actions/Docur del: Label Details Structure Content Related Objects Changes History Traceability	Name docfnr0DefaultDetails docStructureGWT docContentinfoDefails docCelstedObjectSinfo changeSTab docObjectSinfoTab requiremedTraceabilityTab	Type docsb	View Info (1) (1) (1) (1) (1) (1) (1) (1)				

Select docRelatedObjectsInfo

a	Related Objects	docRelatedObjectsInfo	(i)
			<u> </u>

Add previously copied action

Action Model Details

efinition File: lenu For:	/con	fig/actions/Docume	entManage	ment-actionmodel:	s.xml			
Actions In	Model:							
Actions -								
Order Ico	n Labe	el	Name		Туре	Vie	w Info	
] 1	Whe	ere Used	whereUs	ed	object	i		
2	Refe	erences Documents	relatedDo	ocumentsDocument	s docum	(i)		
3	Refe	erenced By Document	s relatedDo	ocuments Reference	dBy docum	(i)		
3 4	Part	5	relatedDo	ocumentsParts	docum	(i)		
0 objects selecte	ed)							
Odel Name	File (/opt/p	tc/Windchill_10.1/Wi	ndchill/cod	ebase/) actio	nModelDe	tailsO	verrides	
Actions 👻		7						
Create Ad	tion	abel	N	lame			Туре	View Info
Remove A	ction	Vhere Used	v	vhereUsed			object	(i)
	on	eferences Docum	ents r	elatedDocument	sDocume	nts	docum.	
] Referenced By Doc	umento r	alatedDocument	Deferen	adBy	docum	0
- - -	9	Referenced by Doc	uments r	elatedDocuments	skererend	euby	docum.	
		Parts	r	elatedDocuments	sParts		docum.	(1)
) objects selec	cted)							
4 0 objects selec tion Model Deta ction Model Nam ev Owner: escription: verridden By: efinition File: enu For: a Actions In B	cted) ails ne: docRe /confi	HatedObjectsInfo g/actions/DocumentI	Manageme	nt-actionmodels.xm	1			
A d d d d objects selec tion Model Nam ev Owner: escription: verridden By: efinition File: enu For: A Actions In M ditions +	cted) ails ne: docRe /confi Model:	HatedObjectsInfo g/actions/DocumentI	Managemei	nt-actionmodels.xm	I			
A definition file: enu for: a Actions In M clions Actions In M clions Declarate clions Declarate clions Declarate clions Declarate clions Declarate clions clions	cted) ails ne: docRe /confi Model:	HatedObjectsInfo g/actions/Document	Managemen	nt-actionmodels.xm	I Type Vi	ew Inf	0	
A objects select tion Model Det tion Model Nam ev Owner: escription: verridden By: efinition File: enu For: Actions In N tclions ~] Order Icon] 1	cted) ails ne: docRe /confi Model:	HatedObjectsInfo g/actions/Document	Managemei Jame vhereUsed	nt-actionmodels.xm	l Type Vi object G	ew Inf	0	
A objects select tion Model Det tion Model Nam ev Owner: escription: verridden By: efinition File: enu For: Actions In N tclions *] Order Icon] 1] 2	rcted) ails ne: docRe /confi Model: <u>Label</u> When Refers	HatedObjectsInfo g/actions/DocumentI e Used v ences Documents r	Managemei Jame vhereUsed elatedDocu	nt-actionmodels.xm	l Type Vi object () docum ()	ew Inf	0	
4 0 objects selection Model Detains tion Model Namev Owner: exciption: verridden By: efinition File: enu For: 3 Octer Icon 1 2 3	cted) ails ne: docRe /confi Model: Model: Wher Refere Refere	elatedObjectsInfo g/actions/Documenti u yactions/Documenti e Used v ences Documents r enced By Documents r	Managemer Jame whereUsed elatedDocu elatedDocu	nt-actionmodels.xm mentsDocuments mentsReferencedBy	l Type Vi object (j docum (j docum (j	ew Inf	0	
A objects select tion Model Det tion Model Nam ev Owner: escription: verridden By: efinition File: enu For: Actions In N Actions ~ J Order Icon J 1 J 2 J 3 J 4	cted) ails ne: docRe /confi Model: Model: Wher Refer	elatedObjectsInfo g/actions/Documentl v e Used v ences Documents v enced By Documents r	lame vhereUsed elatedDocu elatedDocu elatedDocu	nt-actionmodels.xm mentsDocuments mentsReferencedBy mentsParts	l Type Vi object () docum () docum ()	ew Inf	0	
A objects select tion Model Det tion Model Nam ev Owner: escription: verridden By: efinition File: enu For: Actions In M Actions ~ Order Icon 1 1 2 3 4 5	cted) ails ne: docRe /confi Model: 	elatedObjectsInfo g/actions/DocumentI g/actions/Documents eUsed v ences Documents r enced By Documents r exts r	Managemei Jame whereUsed elatedDocu elatedDocu elatedDocu elatedDocu	nt-actionmodels.xm mentsDocuments mentsReferencedBy mentsParts exts	l Type Vi object () docum () docum () docum () object ()	ew Inf	0	
4 O objects select tion Model Det tion Model Nam ev Owner: escription: verridden By: efinition File: enu For: Actions In M Actions ~ O order I con 1 1 2 3 4 5 objects selected	cted) ails me: docRe /confi Model: Model: Mber Refer Refer Refer Parts Conte	elatedObjectsInfo g/actions/DocumentI e Used v ences Documents r enced By Documents r sxts r	Managemer Jame whereUsed elatedDocu elatedDocu elatedDocu elatedConto	nt-actionmodels.xm mentsDocuments mentsParts exts	l Type Vi object () docum () docum () docum () object ()	ew Inf	0	

Display a document information page

You can see you lost tab display

rel	Ised Ref	ture C	ontent Docum	???ob	ject_docRela	tedObjectsInfo???	Changes	History	Traceability	Relationship Exp	olorer 🛛 🙆
Wh	iere Use	d Latest	bocum		•	y bocuments rea	o contexts				
Ref	erences	Docum	ients	Default		•					
							-				
Ref	ferenced	By Do	cume	nts Defa	iult		1				
Ref	erenceo scribes	a By Do Parts De	cume :fault	nts Defa	iult	• 🖬					
Ref De: Coi	ferenceo scribes I ntexts	d By Do Parts De	cume efault	nts Defa	ult	· .					
Ref De: Coi	ferenced scribes ntexts }]	d By Do Parts De	cume efault	nts Defa	ult		1				

Fix resourceBundle issue

Edit <WT_HOME>/config/actions/custom-actionModels.xml

Add the end of this file interactive Cut/Paste create a new entry "docRelatedObjectsInfo" without resourceBundle definition

You can identify the right resource bundle with following Linux command

cd \$WT_HOME/codebase/config/actions

fgrep docRelatedObjectsInfo *

Replace in <WT_HOME>/config/actions/custom-actionModels.xml

<model name="docRelatedObjectsInfo">

Ву

<model name="docRelatedObjectsInfo" resourceBundle="com.ptc.windchill.enterprise.doc.documentResource">

Reload actions

	â	
1	Tools	
	This is a list of various Windchill tools useful for deve	lopers and customizers. See the Tools Overview Docum
	Action	Find an Action
	Action Model	Find an Action Model
	Application Context Service/Resource Properties	Generates a report for the classes, delegates, or resour
8	Available Attributes	Generates a report on the attributes available for a Wir
8	Logical Attributes Report	Generate a report on the attributes and their external f
8	Property Report	The Property Report lists all the attributes defined for a
8	Reload Action(s)	Reload action configurations
	MVC Builder Search	Finds MVC component builders by ID
	MVC Builder Scan Report	MVC Builder Scan Report - Mini
	MVC Builder Scan Report	MVC Builder Scan Report - Full
	Modeled Objects	Find information about Modeled Objects
	Log4j	Page where log4j loggers can be enabled. Must be Site
	jsDebug	Click to enable jsDebug. See Tools Overview Documer
	jsLog	Click to enable a log4javascript logger. Just hit "Ok" to
8	jcaDebug	Click to enable jcaDebug. See Tools Overview Docume
7	clientLogger	Click to enable clientLogger

Display a document information page

W	ndchill									
Þ	Products > TRANING > Folders									
P	Actions - Document - 0000000021, qqqqqq, 1.1									
Navig	Details Structure Content Related Objects Changes fistory Traceability Relationship Explorer									
jatoi	Where Used References Documents Referenced By Documents Parts Contexts									
	Where Used Latest									
	 Beferences Documents Default ■ Referenced By Documents Default ■ Describes Parts Default ▼ □ 									
	- Contaxtr									
	Name Number Type Owner Relation Description Last Modified									
	(0 objects selected)									